

MAR 27 2013

MSGP Quarterly Visual Assessment Form

(Complete a separate form for each outfall you assess)



Sample Duration:

1:15 PM - 2:00 PM

Name of Facility: Kane Scrap Iron and Metal, Inc.		Permit No.: MAR05DY90	
Street Address: 184 East Meadow Street		City: Chicopee	State: MA Zip Code: 01013
Outfall Number: DA-001	"Substantially Identical Outfall"? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (identify Substantially Identical Outfalls):		
Quarter/Year: 1st Quarter - 2013 (1/1 to 3/31)	Substitute Sample?: <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (identify quarter/year when sample was originally scheduled to be collected):		
Person(s)/Title(s) collecting sample: Robert E. Kane III - Non-Ferrous Metals Manager		Person(s)/Title(s) examining sample: Robert E. Kane III - Non-Ferrous Metals Manager	
Date & Time Storm or Snowmelt Began: 2/23/2013 @ 1:15 pm		Date & Time Sample Collected: 2/23/2012 @ 2:00 pm	Date & Time Sample Examined: 2/26/2012 @ 7:00 am
Nature of Discharge: <input checked="" type="checkbox"/> Rainfall <input checked="" type="checkbox"/> Snowmelt <input type="checkbox"/> Not Applicable			
Rainfall Amount: 0.07 inches	Previous Storm Ended > 72 hours Before Start of This Storm? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No* (explain): <input type="checkbox"/> Not Applicable		
Parameter			
Color:	<input type="checkbox"/> None <input checked="" type="checkbox"/> Other (describe): Opaque		
Odor:	<input type="checkbox"/> None <input checked="" type="checkbox"/> Musty <input type="checkbox"/> Sewage <input type="checkbox"/> Sulfur <input type="checkbox"/> Sour <input type="checkbox"/> Petroleum/Gas <input type="checkbox"/> Solvents		
Clarity:	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Slightly Cloudy <input type="checkbox"/> Cloudy <input type="checkbox"/> Opaque <input type="checkbox"/> Other (describe):		
Floating Solids:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (describe):		
Settled Solids**:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (describe):		
Suspended Solids:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (describe):		
Oil Sheen:	<input checked="" type="checkbox"/> None <input type="checkbox"/> Flecks <input type="checkbox"/> Globs <input type="checkbox"/> Sheen <input type="checkbox"/> Slick <input type="checkbox"/> Other (describe):		
Foam (gently shake sample):	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (describe):		
Other Obvious Indicators of Storm Water Pollution:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (describe):		

*The 72 hour interval can be waived when the previous storm did not yield a measurable discharge or if you are able to document (attach applicable documentation) that less than a 72 hour interval is representative of local storm events during the sampling period.

**Observe for settled solids after allowing the sample to sit for approximately one-half hour.

Sampling not performed due to adverse conditions: ☐ No ☐ Yes (explain):

Sampling not performed due to no measurable storm event occurring that resulted in a discharge during the monitoring quarter:

☐ No ☐ Yes (explain):

Detail any concerns, additional comments, descriptions of pictures taken, and any corrective actions taken below (attach additional sheets as necessary): The storm water sample collected during this monitoring event was the result of precipitation & snow melt.

Certification by Facility Responsible Official (Refer to MSGP Subpart 11 Appendix B for Signatory Requirements).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

A. Name: Robert E. Kane III

B. Title: Non-Ferrous Metals Manager

C. Signature:

D. Date Signed: 2/26/2013

MSGP Quarterly Visual Assessment Form

(Complete a separate form for each outfall you assess)

Sample Duration:

1:15 PM - 2:00 PM

Name of Facility: Kane Scrap Iron and Metal, Inc.		Permit No.: MAR05DY90	
Street Address: 184 East Meadow Street		City: Chicopee	State: MA Zip Code: 01013
Outfall Number: DA-002	"Substantially Identical Outfall"? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (identify Substantially Identical Outfalls):		
Quarter/Year: 1st Quarter - 2013 (1/1 to 3/31)	Substitute Sample?: <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (identify quarter/year when sample was originally scheduled to be collected):		
Person(s)/Title(s) collecting sample: Robert E. Kane III - Non-Ferrous Metals Manager			
Person(s)/Title(s) examining sample: Robert E. Kane III - Non-Ferrous Metals Manager			
Date & Time Storm or Snowmelt Began: 2/23/2013 @ 1:15 pm	Date & Time Sample Collected: 2/23/2012 @ 2:00 pm	Date & Time Sample Examined: 2/26/2012 @ 7:00 am	
Nature of Discharge: <input checked="" type="checkbox"/> Rainfall <input checked="" type="checkbox"/> Snowmelt <input type="checkbox"/> Not Applicable			
Rainfall Amount: 0.07 inches	Previous Storm Ended > 72 hours Before Start of This Storm? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No* (explain): <input type="checkbox"/> Not Applicable		
Parameter			
Color:	<input type="checkbox"/> None <input checked="" type="checkbox"/> Other (describe): Tan		
Odor:	<input type="checkbox"/> None <input checked="" type="checkbox"/> Musty <input type="checkbox"/> Sewage <input type="checkbox"/> Sulfur <input type="checkbox"/> Sour <input type="checkbox"/> Petroleum/Gas <input type="checkbox"/> Solvents		
Clarity:	<input type="checkbox"/> Clear <input checked="" type="checkbox"/> Slightly Cloudy <input type="checkbox"/> Cloudy <input type="checkbox"/> Opaque <input type="checkbox"/> Other (describe):		
Floating Solids:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (describe):		
Settled Solids**:	<input type="checkbox"/> No <input checked="" type="checkbox"/> Yes (describe): Fine Particulate		
Suspended Solids:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (describe):		
Oil Sheen:	<input checked="" type="checkbox"/> None <input type="checkbox"/> Flecks <input type="checkbox"/> Globbs <input type="checkbox"/> Sheen <input type="checkbox"/> Slick <input type="checkbox"/> Other (describe):		
Foam (gently shake sample):	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (describe):		
Other Obvious Indicators of Storm Water Pollution:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (describe):		

*The 72 hour interval can be waived when the previous storm did not yield a measurable discharge or if you are able to document (attach applicable documentation) that less than a 72 hour interval is representative of local storm events during the sampling period.

**Observe for settled solids after allowing the sample to sit for approximately one-half hour.

Sampling not performed due to adverse conditions: ☐ No ☐ Yes (explain):

Sampling not performed due to no measurable storm event occurring that resulted in a discharge during the monitoring quarter:

☐ No ☐ Yes (explain):

Detail any concerns, additional comments, descriptions of pictures taken, and any corrective actions taken below (attach additional sheets as necessary): The storm water sample collected during this monitoring event was the result of precipitation & snow melt.

Certification by Facility Responsible Official (Refer to MSGP Subpart 11 Appendix B for Signatory Requirements).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

A. Name: Robert E. Kane III

B. Title: Non-Ferrous Metals Manager

C. Signature:



D. Date Signed: 2/26/2013

History for KMACHICO9

Nearby Szot Park, Chicopee, MA — Current Conditions

« Previous Day

February

23

2013

View

Next Day »


Daily Weekly Monthly Yearly Custom

	Current:	High:	Low:	Average:
Temperature:	39.4 °F	36.9 °F	32.6 °F	34.2 °F
Dew Point:	38.3 °F	35.2 °F	25.0 °F	30.2 °F
Humidity:	96%	96%	72%	86%
Wind Speed:	1.0mph	3.0mph	-	0.3mpin
Wind Gust:	6.0mph	5.0mph	-	-
Wind:	NE	-	-	ENE
Pressure:	29.73in	30.39in	29.88in	-
Precipitation:	0.07in			

View data for the rest of the month

	High:	Low:	Average:
Temperature:	51.2 °F	0.0 °F	29.1 °F
Dew Point:	38.3 °F	-3.0 °F	18.9 °F
Humidity:	98.0%	24.0%	67.7%
Wind Speed:	22.0mph from the North	-	2.1mph
Wind Gust:	35.0mph from the NNW	-	-
Wind:	-	-	SW
Pressure:	30.52in	29.64in	-
Precipitation:	0.46in		

KMACHICO9 Weather Graph for 2/23/2013



Weather Underground
www.weatherunderground.com

Report Date:
14-Mar-13 11:57



SPECTRUM ANALYTICAL, INC.

Featuring
HANIBAL TECHNOLOGY

Laboratory Report

- ☐ Final Report
☐ Re-Issued Report
☒ Revised Report

Environmental Compliance Services
588 Silver Street
Agawam, MA 01001
Attn: Todd Donze

Project: Kane Scrap Iron + Metal Inc - Chicopee, MA
Project #: 01-215977.11.00

<u>Laboratory ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
SB65220-01	DA-001	Storm Water	23-Feb-13 00:00	27-Feb-13 15:30
SB65220-02	DA-002	Storm Water	23-Feb-13 00:00	27-Feb-13 15:30

I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the sample(s) as received.
All applicable NELAC requirements have been met.

Massachusetts # M-MA138/MA1110
Connecticut # PH-0777
Florida # E87600/E87936
Maine # MA138
New Hampshire # 2538
New Jersey # MA011/MA012
New York # 11393/11840
Pennsylvania # 68-04426/68-02924
Rhode Island # 98
USDA # S-51435



Authorized by:

Nicole Leja
Laboratory Director

Spectrum Analytical holds certification in the State of Massachusetts for the analytes as indicated with an X in the "Cert." column within this report. Please note that the State of Massachusetts does not offer certification for all analytes. Please refer to our website for specific certification holdings in each state.
Please note that this report contains 6 pages of analytical data plus Chain of Custody document(s). When the Laboratory Report is indicated as revised, this report supersedes any previously dated reports for the laboratory ID(s) referenced above. Where this report identifies subcontracted analyses, copies of the subcontractor's test report are available upon request. This report may not be reproduced, except in full, without written approval from Spectrum Analytical, Inc.

Spectrum Analytical, Inc. is a NELAC accredited laboratory organization and meets NELAC testing standards. Use of the NELAC logo however does not insure that Spectrum is currently accredited for the specific method or analyte indicated. Please refer to our "Quality" web page at www.spectrum-analytical.com for a full listing of our current certifications and fields of accreditation. States in which Spectrum Analytical, Inc. holds NELAC certification are New York, New Hampshire, New Jersey and Florida. All analytical work for Volatile Organic and Air analysis are transferred to and conducted at our 830 Silver Street location (NY-11840, FL-E87936 and NJ-MA012).

Please contact the Laboratory or Technical Director at 800-789-9115 with any questions regarding the data contained in this laboratory report.

CASE NARRATIVE:

The samples were received 0.2 degrees Celsius, please refer to the Chain of Custody for details specific to temperature upon receipt. An infrared thermometer with a tolerance of +/- 1.0 degrees Celsius was used immediately upon receipt of the samples.

If a Matrix Spike (MS), Matrix Spike Duplicate (MSD) or Duplicate (DUP) was not requested on the Chain of Custody, method criteria may have been fulfilled with a source sample not of this Sample Delivery Group.

March 14, 2013 Report Revision Case Narrative:

This report has been revised to include the correct sample date requested by the client.

See below for any non-conformances and issues relating to quality control samples and/or sample analysis/matrix.

HACH8000

Samples:

SB65220-01 DA-001

Sample dilution required for high concentration of target analytes to be within the instrument calibration range.

Chemical Oxygen Demand

SM2540D

Samples:

SB65220-01 DA-001

This result was analyzed outside of the EPA recommended holding time.

Total Suspended Solids

SB65220-02 DA-002

This result was analyzed outside of the EPA recommended holding time.

Total Suspended Solids

Sample Identification		Client Project #		Matrix		Collection Date/Time		Received					
DA-001		01-215977.11.00		Storm Water		23-Feb-13 00:00		27-Feb-13					
SB65220-01													
CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.
Total Metals by EPA 200/6000 Series Methods				N/A			1	EPA 200/6000 methods			JS	1304809	
Preservation		Field Preserved											
Total Metals by EPA 200 Series Methods													
7429-90-5	Aluminum	0.372		mg/l	0.0250	0.0074	1	EPA 200.7	06-Mar-13	07-Mar-13	LR	1305097	X
7440-50-8	Copper	0.402		mg/l	0.0050	0.0044	1	"	"	"	"	"	X
7439-89-6	Iron	0.568		mg/l	0.0150	0.0056	1	"	"	"	"	"	X
7439-92-1	Lead	0.0484		mg/l	0.0075	0.0045	1	"	"	"	"	"	X
7440-66-6	Zinc	0.190		mg/l	0.0050	0.0022	1	"	"	"	"	"	X
General Chemistry Parameters													
Hardness		525		mg/l CaCO3	0.291	0.0979	1	SM 2340B	06-Mar-13	07-Mar-13	LR	1305097	X
Chemical Oxygen Demand		794	GS1,LIV	mg/l	100	57.4	1	HACH8000	06-Mar-13	06-Mar-13	CAA	1305083	X
Total Suspended Solids		24	102	mg/l	5	2	1	SM2540D	06-Mar-13	07-Mar-13	BD	1305101	X

Sample Identification		Client Project #		Matrix		Collection Date/Time		Received					
DA-002		01-215977.11.00		Storm Water		23-Feb-13 00:00		27-Feb-13					
SB65220-02													
CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.
Total Metals by EPA 200/6000 Series Methods				N/A			1	EPA 200/6000 methods			JS	1304809	
Preservation		Field Preserved											
Total Metals by EPA 200 Series Methods													
7429-90-5	Aluminum	0.964		mg/l	0.0250	0.0074	1	EPA 200.7	06-Mar-13	07-Mar-13	LR	1305097	X
7440-50-8	Copper	0.112		mg/l	0.0050	0.0044	1	"	"	"	"	"	X
7439-89-6	Iron	1.86		mg/l	0.0150	0.0056	1	"	"	"	"	"	X
7439-92-1	Lead	0.0368		mg/l	0.0075	0.0045	1	"	"	"	"	"	X
7440-66-6	Zinc	0.136		mg/l	0.0050	0.0022	1	"	"	"	"	"	X
General Chemistry Parameters													
Hardness		54.0		mg/l CaCO3	0.291	0.0979	1	SM 2340B	06-Mar-13	07-Mar-13	LR	1305097	X
Chemical Oxygen Demand		78.0		mg/l	5.00	2.87	1	HACH8000	06-Mar-13	06-Mar-13	CAA	1305083	X
Total Suspended Solids		26	102	mg/l	5	2	1	SM2540D	06-Mar-13	07-Mar-13	BD	1305101	X

This laboratory report is not valid without an authorized signature on the cover page.

* Reportable Detection Limit

Page 3 of 6

14-Mar-13 11:57

Total Metals by EPA 200 Series Methods - Quality Control

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch 1305097 - EPA 200 Series					<u>Prepared: 06-Mar-13 Analyzed: 07-Mar-13</u>					
<u>Blank (1305097-BLK1)</u>	< 0.0150		mg/l	0.0150						
Iron	< 0.0075		mg/l	0.0075						
Lead	< 0.0050		mg/l	0.0050						
Zinc	< 0.0250		mg/l	0.0250						
Aluminum	< 0.0050		mg/l	0.0050						
Copper										
					<u>Prepared: 06-Mar-13 Analyzed: 07-Mar-13</u>					
<u>LCS (1305097-BS1)</u>	1.32		mg/l	0.0050	1.25		106	85-115		
Zinc	1.30		mg/l	0.0150	1.25		104	85-115		
Iron	1.29		mg/l	0.0075	1.25		103	85-115		
Lead	1.26		mg/l	0.0250	1.25		101	85-115		
Aluminum	1.37		mg/l	0.0050	1.25		109	85-115		
Copper										

This laboratory report is not valid without an authorized signature on the cover page.

* Reportable Detection Limit

General Chemistry Parameters - Quality Control

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch 1305083 - General Preparation										
<u>Blank (1305083-BLK1)</u>	< 5.00		mg/l	5.00						<u>Prepared & Analyzed: 06-Mar-13</u>
Chemical Oxygen Demand										<u>Prepared & Analyzed: 06-Mar-13</u>
<u>LCS (1305083-BS1)</u>	50.7		mg/l	5.00	50.0		101	90-110		
Chemical Oxygen Demand										<u>Prepared & Analyzed: 06-Mar-13</u>
<u>Calibration Blank (1305083-CCB1)</u>	1.88		mg/l							<u>Prepared & Analyzed: 06-Mar-13</u>
Chemical Oxygen Demand										<u>Prepared & Analyzed: 06-Mar-13</u>
<u>Calibration Blank (1305083-CCB2)</u>	1.95		mg/l							<u>Prepared & Analyzed: 06-Mar-13</u>
Chemical Oxygen Demand										<u>Prepared & Analyzed: 06-Mar-13</u>
<u>Calibration Blank (1305083-CCB3)</u>	1.27		mg/l							<u>Prepared & Analyzed: 06-Mar-13</u>
Chemical Oxygen Demand										<u>Prepared & Analyzed: 06-Mar-13</u>
<u>Calibration Check (1305083-CCV1)</u>	50.7		mg/l	5.00	50.0		101	90-110		
Chemical Oxygen Demand										<u>Prepared & Analyzed: 06-Mar-13</u>
<u>Calibration Check (1305083-CCV2)</u>	49.6		mg/l	5.00	50.0		99	90-110		
Chemical Oxygen Demand										<u>Prepared & Analyzed: 06-Mar-13</u>
<u>Calibration Check (1305083-CCV3)</u>	49.0		mg/l	5.00	50.0		98	90-110		
Chemical Oxygen Demand										<u>Prepared & Analyzed: 06-Mar-13</u>
<u>Reference (1305083-SRM1)</u>	50.0		mg/l	5.00	58.0		86	82-113		
Chemical Oxygen Demand										
Batch 1305097 - EPA 200 Series										
<u>Blank (1305097-BLK1)</u>	< 0.291		mg/l CaCO3	0.291						<u>Prepared: 06-Mar-13 Analyzed: 07-Mar-13</u>
Hardness										<u>Prepared: 06-Mar-13 Analyzed: 07-Mar-13</u>
<u>LCS (1305097-BS1)</u>	22.6		mg/l CaCO3	0.291	20.8		109	85-115		
Hardness										
Batch 1305101 - General Preparation										
<u>Blank (1305101-BLK1)</u>	< 5		mg/l	5						<u>Prepared: 06-Mar-13 Analyzed: 07-Mar-13</u>
Total Suspended Solids										<u>Prepared: 06-Mar-13 Analyzed: 07-Mar-13</u>
<u>LCS (1305101-BS1)</u>	102		mg/l	10	100		102	90-110		
Total Suspended Solids										

This laboratory report is not valid without an authorized signature on the cover page.

* Reportable Detection Limit

Notes and Definitions

GS1	Sample dilution required for high concentration of target analytes to be within the instrument calibration range.
I02	This result was analyzed outside of the EPA recommended holding time.
dry	Sample results reported on a dry weight basis
NR	Not Reported
RPD	Relative Percent Difference
LIV	The initial volume for this sample has been reduced due to sample matrix and/or historical data therefore elevating the reporting limit.

Laboratory Control Sample (LCS): A known matrix spiked with compound(s) representative of the target analytes, which is used to document laboratory performance.

Matrix Duplicate: An intra-laboratory split sample which is used to document the precision of a method in a given sample matrix.

Matrix Spike: An aliquot of a sample spiked with a known concentration of target analyte(s). The spiking occurs prior to sample preparation and analysis. A matrix spike is used to document the bias of a method in a given sample matrix.

Method Blank: An analyte-free matrix to which all reagents are added in the same volumes or proportions as used in sample processing. The method blank should be carried through the complete sample preparation and analytical procedure. The method blank is used to document contamination resulting from the analytical process.

Method Detection Limit (MDL): The minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero and is determined from analysis of a sample in a given matrix type containing the analyte.

Reportable Detection Limit (RDL): The lowest concentration that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operating conditions. For many analytes the RDL analyte concentration is selected as the lowest non-zero standard in the calibration curve. While the RDL is approximately 5 to 10 times the MDL, the RDL for each sample takes into account the sample volume/weight, extract/digestate volume, cleanup procedures and, if applicable, dry weight correction. Sample RDLs are highly matrix-dependent.

Surrogate: An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. These compounds are spiked into all blanks, standards, and samples prior to analysis. Percent recoveries are calculated for each surrogate.

Continuing Calibration Verification: The calibration relationship established during the initial calibration must be verified at periodic intervals. Concentrations, intervals, and criteria are method specific.

Validated by:

Nicole Leja

CHAIN OF CUSTODY RECORD

SPECTRUM ANALYTICAL, INC.
11 ALMIGRETT DRIVE
AGUAWAM, MA 01001

Page 1 of 1

Special Handling:

Standard TAT - 7 to 10 business days

Rush TAT - Date Needed:
All TATs subject to laboratory approval
Min. 24 hour notification needed for rushes
Samples disposed of after 90 days unless
otherwise instructed.

Report To:

Invoice To:

Project No:

Site Name:

Location:

Sample No:

Telephone # (413) 781-3530

P.O. No.:

RQ#:

Project Mgr: Teja D. Vaz

1 = Na₂SO₃, 2 = HCl, 3 = H₂SO₄, 4 = HNO₃, 5 = NaOH, 6 = Ascorbic Acid, 7 = CH₃COH

8 = NaHSO₄, 9 = Deionized Water, 10 = H₂PO₄, 11 =

Containers:

Analyses:

QA/QC Reporting Notes:
Additional changes may apply

DW=Drinking Water GW=Groundwater W/W=Wastewater
O=Oil SW=Surface Water SO=Soil SL=Sludge A=Air
X1= Seawater X2= Water X3=

G=Grab C=Composite

Lab Id:	Sample Id:	Date:	* Time:	Type	Matrix	# of VOA Vials	# of Amber Glass	# of Clear Glass	# of Plastic	Temp °C	Condition upon receipt:	Remarks
220-01	DA-001	2/27/13	2:23/13								<input checked="" type="checkbox"/> Ambient <input type="checkbox"/> Ice <input type="checkbox"/> Refrigerated <input type="checkbox"/> DI VOA Frozen <input type="checkbox"/> Soil for frozen	
220-01	DA-002	2/27/13	2:23/13								<input checked="" type="checkbox"/> Ambient <input type="checkbox"/> Ice <input type="checkbox"/> Refrigerated <input type="checkbox"/> DI VOA Frozen <input type="checkbox"/> Soil for frozen	

Relinquished by:

Received by:

Date:

Time:

Temp °C

☒ EDD Form

E-mail to teja@spectrum-analytical.com

Condition upon receipt: ☒ Ambient ☐ Ice ☐ Refrigerated ☐ DI VOA Frozen ☐ Soil for frozen

Revised Feb 2012



WHERE BUSINESS AND THE ENVIRONMENT CONVERGE

588 Silver Street, Agawam, MA 01001 tel 413.789.3530 fax 413.789.2776 www.ecsconsult.com

Environmental Protection Agency
Office of Water, Water Permits Division
Code 4203M, ATTN: MSGP Reports
Pennsylvania Avenue, NW
Washington, D.C. 20460

March 13, 2013
Project No. 01-215977.13.00
Document No.

RE: NPDES Multi-Sector General Permit
Quarterly Benchmark Monitoring Results
Quarterly Visual Examination Form
Quarter: January 1, 2013 – March 31, 2013
MSGP Tracking Number: MAR05DY90

Dear Sir/Madam:

On behalf of Kane Scrap Iron and Metal, Inc. (Kane) and in accordance with the requirements of the 2008 Multi-Sector General Permit regarding Storm Water Discharge Associated with Industrial Activity (MSGP) under the National Pollutant Discharge Elimination System (NPDES), Environmental Compliance Services, Inc. (ECS) is providing the attached Quarterly Visual Examination Form(s) and Quarterly Benchmark Monitoring Results for samples collected at the facility located at 184 East Meadow Street in Chicopee, Massachusetts, during the January 1, 2013 – March 31, 2013 monitoring period.

If you have any questions and/or concerns regarding any of this information, please do not hesitate to contact ECS at (413) 789-3530.

Sincerely,
ENVIRONMENTAL COMPLIANCE SERVICES, INC.

Todd Donze
Environmental Scientist